

Camping Without Compromise

CLIPPER

CLIPPER

.

.

R

Ultra Light Conventional Travel Trailers

00

CLIPPER

CLIPPER



CLIPPER T

Cadet



CLIPPER

Premium Value Water Capacity Clipper vs. the competition

CLIPPER

Clipper vs. the competition

Fresh Water Capacity

Gray Water Capacity

Black Water Capacity

Certified GREEN

33 Gallons

25 Gallons

25 Gallons

10 Gallons

9-16 Gallons

5-9 Gallons

Experience the camping lifestyle at an affordable price, without sacrificing style, comfort and convenience.

These sturdy Travel Trailers are designed with the most popular amenities on the market today!



0

Clipper 7' Wide Travel Trailers



Standard radial tires. (Deluxe Package shown with upgraded aluminum wheels)



Four standard heavy duty stabilizing jacks



Norco NXG chassis featuring E-Coat technology



13,500 BTU air conditioner



Standard power awning





3 Cu. ft. 2-way refrigerator and microwave



Congoleum residential grade Diamondflor with 100% adhesion combines beauty and durability



Screwed lumbercore cabinetry with hardwood mortise and tenon doors



Jensen AM/FM/Bluetooth stereo with app control includes Interior/Exterior speakers



Interior Command Center controls awning, interior lighting, slide out, water heater/pump, battery indicator lights and has two USB outlets.



Cadet Series



For the budget minded camper, the Clipper Cadet offers unequalled affordability without compromising traditional Clipper quality and looks.

CLIPPEI



Cadet 17CBH bath with roomy tub and foot flush toilet



Cadet 17CBH kitchen with 3 cu. ft. 110V refrigerator and loads of storage

Strong, walk on roof!



Designed for the 5000# tow class, the Coachmen Clipper 7'6" wide series is the perfect combination of features, quality and towability.

21FQ Kitchen





Clipper 7'6" Wide Tandem Axle Travel Trailers



000

Tandem axles enhance stability



Double 20 lb. LP tanks



Deep, double bowl Stonecast sink with high neck faucet



3 Burner range with Piezo ignitor



20,000 BTU Ducted furnace

7' WIDE CLIPPER CADET

CLIPPER 7' WIDE SINGLE AXLE

CLIPPER 7'6" WIDE TANDEM AXLE

O/H

DINETTE


REFER


BIKE


Ð VED (


9


28 x 72 BUNK BEDS

















MED CAE

0

0/H

NETT

0/H

 \odot

 \square

28 x 72 BUNKS

NTRY

28 X 68 BUNKS

NTRY

TUB

D

36" TUBº

54 x 74 BED

16FB

DINETTE

48 x 74 BED

16RBD

9

REFER TV C-TOP

LOUNGE O/H

STORAGE

BED

54 x 74 동 PFN 등

17BH



REFER TV C-TOP

 \odot

0/H

0/H

DINETTE

0/H


HOWER

 $(\bigcirc$

ABD









60 x 74 Queen Bed

H

WARD

ZIFQS

21FQ

WARD

H


60 x 74 Queen Bed



STORAGE

60 x 74 QUEEN BED 통

17RD



1



BIKE



54 X 74 폰 BED 8 онс \square 17**BHS**

NETI

Standard Features

CHASSIS	Clipper Cadet	Single Axle Clipper	Tandem Axle Clipper		Clipper Cadet	Single Axle Clipper	Tandem Axle Clipper		Clipper Cadet	Single Axle Clipper	Tandem Axle Clipper
Norco NXG Chassis				Manual Bath Vent				12 Volt On Demand Water Pump			
Double Steps				Onmidirectional TV Antenna				6 Gal. Gas Water Heater			
Single Dexter [*] E-Z Lube [*] Axle				Cable/Satellite Hook-up				6 Gal. DSI Gas Water Heater			
Dual Dexter [®] E-Z Lube [®] Axle				Zamp Solar Port				3 Cu. Ft. Two Way Dometic Refrigerator			
Electric Brakes				Back Up Camera Prep				6 Cu. Ft. Two Way Dometic Refrigerator			
Radial Tires				120 Volt GFI Exterior Recept				3 Cu. Ft. 110 Volt Refrigerator			
Spare Tire and Carrier				Amber Patio Light				Jensen AM/FM Bluetooth Stereo with App Control			
Scissor Style jacks with pads (4)				Oversized Fresh Water Tank				Interior Command Center			
Scissor Style jacks with pads (2)				Oversized Gray Water Tank				Mini Blinds			
Heavy Duty Tongue Jack				Oversized Black Water Tank				120 Volt Interior Outlets			
Safety Chains				LED Exterior Lights				Interior Light Switches			
Single 20# LP Tank		•		INTERIOR					Clipper Cadet	Single Axle	
Dual 20# LP Tanks				100% Adhesion Residential Grade Linoleum		•		POPULAR OPTIONS	Cadet	Clipper	Clipper
EXTERIOR				Walnut Cabinetry				Deluxe Package:		-	
Diamond Plate Front and Rear Wall Protection				Mortise and Tenon Residential Cabinet Doors				Aluminum Wheels			
Heavy Duty .030/.024 Mesa Exterior				Screwed Lumbercore Cabinet Fronts				Lend-A-Hand Assist handle			
Aerodynamic Front Profile				Residential Laminated Countertops				Exterior Shower			
Tinted Safety Glass Windows				Ultra Comfort 4" High Density Cushions				Pleated Night Shades			
Front Rockguard Window				12 Volt LED Interior Lights				Tub Surround			
Radiused Entry and Baggage Doors				Stone Cast Sink				Bath Door Mirror			
Power Awning				High Neck Kitchen Faucet				40 Watt Zamp Portable Solar Panel			
Exterior Speakers				2 Burner High Output Range				80 Watt Zamp Portable Solar Panel			
Grab Handle				3 Burner High Output Range				Bed End Fan Light (16RBD Only)			
Alpha Superflex Roofing		-		Powered Range Vent				Second Bed End Fan Light (16RBD Only)			
Walk-on Roof				Microwave				"Jack It" Bike Rack			
Bathroom Skylight				13,500 BTU Roof A/C				Smart Jack			
Power Bath Vent				20,000 BTU Furnace				Spare Tire and Carrier			
				I				All Terrain Package			

Clipper Specifications

	CLIPPER CADET						CLIPPER SINGLE AXLE									CLIPPER TANDEM AXLE				
MODEL	14CR	16CBH	16CFB	17CBH	17CFQ	14R	16FB	16RBD	17BH	17BHS	17FQ	17FQS	17RD	17FB	21BH	21FQ	21RD	218HS	21FQS	
Hitch Weight	303 lbs.	319 lbs.	360 lbs.	376 lbs.	292 lbs.	347 lbs.	318 lbs.	312 lbs.	406 lbs.	410 lbs.	320 lbs.	365 lbs.	424 lbs.	337 lbs.	479 lbs.	414 lbs.	542 lbs.	537 lbs.	539 lbs.	
UVW	2335 lbs.	2306 lbs.	2442 lbs.	2694 lbs.	2749 lbs.	2509 lbs.	2777 lbs.	2806 lbs.	2869 lbs.	3217 lbs.	2886 lbs.	3277 lbs.	2847 lbs.	2920 lbs.	4069 lbs.	4074 lbs.	3855 lbs.	4608 lbs.	4576 lbs.	
GVWR	3803 lbs.	3634 lbs.	3675 lbs.	3716 lbs.	3792 lbs.	3662 lbs.	3718 lbs.	3627 lbs.	3626 lbs.	4420 lbs.	3635 lbs.	4365 lbs.	3739 lbs.	3652 lbs.	7109 lbs.	7044 lbs.	7172 lbs.	6537 lbs.	6539 lbs.	
Cargo Capacity	1468 lbs.	1328 lbs.	1233 lbs.	1022 lbs.	1043 lbs.	1153 lbs.	1018 lbs.	821 lbs.	791 lbs.	961 lbs.	749 lbs.	1003 lbs.	818 lbs.	732 lbs.	3057 lbs.	2970 lbs.	3317 lbs.	1929 lbs.	1963 lbs.	
Exterior Length (add 10 1/4" for Spare)	16′ 4″	17' 5"	18′ 4″	21' 4"	21' 4"	16' 4"	18' 4"	18′ 4″	21' 4"	21' 4"	21' 4"	21′ 4″	21' 4"	21' 4"	25' 6"	25' 6"	25' 6"	25' 6"	25' 6"	
Exterior Width	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	88″	96″	96″	96″	96″	96″	
Exterior Height with A/C	9' 8"	9′ 8″	9' 8"	9' 8"	9′ 8″	9′ 8″	9' 8"	9' 8"	9' 8"	9′ 8″	9' 8"	9′ 8″	9′ 8″	9′ 8″	9′ 10″	9′ 10″	9′ 10″	9′ 10″	9′ 10″	
Interior Height	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	76″	
Fresh Water Capacity (Incl. W/H)	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	33 gal.	40 gal.	40 gal.	40 gal.	40 gal.	40 gal.	
Grey Water Capacity	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	31 gal.	31 gal.	31 gal.	31 gal.	31 gal.	
Black Water Capacity	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	25 gal.	31 gal.	31 gal.	31 gal.	31 gal.	31 gal.	
Tire Size (Radial)	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	14″	
Coupler Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16″	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16″	

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. See back page for chart definitions.



Available on most Clipper models (not available on Cadet)





Lend-a-hand assist handle Aluminum wheels



Clipper RV

580 West Burr Oak Street P.O. Box 549 Centreville, MI 49032 269-467-6321 To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenrv.com or call 1.800.353.7383.



Your Clipper RV Dealer



Pleated nightshades

Coachmen Interactive Mobile Manuals

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use,

maintenance and enjoyment of

your Coachmen product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



Travel Easy[™] Roadside Assistance RVing is easier with Coachmen's Travel Easy™

Roadside Assistance provided FREE the first year of ownership to those who purchase a New Coachmen RV. Administered by Coach-Net, this service provides you with 24/7 operational, technical and emergency road service

ABS tub surround

coverage. Also included is towing, fuel delivery, jump starts, lockout service, tire changes, mobile mechanic and unlimited technical assistance. Anywhere. Anytime. Travel Easy™ is the security of knowing that help is an easy phone call away.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It

includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.





Bath door mirror

Exterior shower



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. assurance in every unit built.





Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2017 Clipper by Coachmen, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 5/18



This state-of-the-art facility gives immediate daily feedback to production for quality