



CLIPPER

CAMPING TRAILER

Camping Made Easy




Coachmen
Recreational Vehicles
A division of Forest River, Inc.

CLIPPER EXPRESS

CAMPING TRAILERS

THE EASIEST WAY TO GET UP & GO

Clipper tent-style, pop-up hybrids feel much bigger inside, with a rear entry for easy access. Unlatch, and the struts automatically lift the roof into position. Durable, automotive grade metal exterior walls and fiberglass roof skin maintain structural integrity and can withstand the test of time.

Express delivers a lot of comfort features including a whole coach fan and a 20,000 BTU furnace. Unlike traditional teardrop models, you can stand upright and walk around in the living space. These models are lightweight, and easy to tow by most cars, crossovers, and small SUVs.

Camping Made Even Easier



EXPRESS 9.0TD V-PKG.




EXPRESS 12.0TD XL




EXPRESS 9.0TD V-PKG.




EXPRESS 12.0TD XL



EXPRESS 9.0TD V-PKG. OFF-ROAD OPTION - UNDER 1,450 LBS.



EXPRESS 12.0TD XL RUGGED, OFF-ROAD OPTION - UNDER 2,100 LBS.



EXPRESS 12.0TD MAX RUGGED, OFF-ROAD OPTION - UNDER 2,300 LBS. SIDE DOOR ACCESS WITH ROOF DOWN



Express 9.0TD V-PKG.



Express 12.0TD MAX

• = STANDARD FEATURES



EXPRESS 12.0TD MAX



OPTIONAL AIR CONDITIONER SHOWN

EXPRESS 12.0TD MAX



| EXPRESS | 9.0 TD | 12.0 TD XL | 12.0TD MAX |
|-----------------------|-----------|-------------|-------------|
| Interior Box Size | 10' 2" | 12' | 12' |
| Travel Length | 14' 2" | 17' 5" | 17' 5" |
| Travel Width | 6' 10" | 7' 1" | 7' 1" |
| Travel Height | 6' 5" | 7' 5" | 7' 5" |
| Exterior Open Length | 13' | 13' 11" | 13' 11" |
| Interior Open Height | 6' 4" | 6' 4" | 6' 4" |
| Sleeping Capacity | 2 | 3 | 3 |
| Front Sleeping Area | 54" x 72" | 60" x 74" | 54" x 74" |
| Gaicho | N/A | 74" | 64" |
| Radial Tire Size | ST145R13 | ST205/75R14 | ST205/75R14 |
| Tire Load Range | D | D | D |
| Hitch Weight (lbs.) | 194 | 220 | 259 |
| Axle Weight (lbs.) | 2000 | 3500 | 3500 |
| UVW (lbs.) | 1418 | 2147 | 2225 |
| Cargo Capacity (lbs.) | 776 | 1573 | 1034 |
| GVWR (lbs.) | 2194 | 3720 | 3259 |
| Coupler Size | 2" | 2-5/16" | 2-5/16" |

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.

| CLIPPER EXPRESS | BASIC | DELUXE | V-PKG. | DELUXE | MAX |
|--|--------|--------|--------|------------|-------------|
| EXTERIOR | 9.0 TD | 9.0 TD | 9.0 TD | 12.0 TD XL | 12.0 TD MAX |
| E-Coated Tubular Steel Frame | • | • | • | • | • |
| Tire Sizes | 13" | 13" | 15" | 14" | 14" |
| Heavy-Duty Tongue Jack w/Wheel | • | • | • | • | • |
| Wide Trac Ultra Lube Spring Axle | • | • | • | • | • |
| Electric Brakes | • | • | • | • | • |
| Radial Tires | • | • | • | • | • |
| Spare Tire & Carrier | OPT | OPT | OPT | • | • |
| Steel Rims | • | • | • | • | • |
| (4) Heavy Duty Scissor Style Jacks | • | • | • | • | • |
| Laminated Fiberglass Roof | • | • | • | • | • |
| Automotive Grade Metal | • | • | • | • | • |
| LED Exterior Lights | • | • | • | • | • |
| One-Piece Screen Door | • | • | • | • | • |
| Aqua-Shield Tenting Material | • | • | • | • | • |
| Exterior Wall Mount LP Grill | OPT | OPT | OPT | OPT | OPT |
| 16 Gallon Fresh Water Tank | | | • | | |
| 27 Gallon Fresh Water Tank | | | | • | • |
| 35 Amp Converter - Trickle Charger | | • | • | • | • |
| 120V GFI Recept | | • | • | • | • |
| Flex Rod Tech Add-A-Room | • | • | • | • | • |
| "Jack It" Bike Rack | OPT | OPT | OPT | OPT | OPT |
| "Toylok" Cargo Security System | OPT | OPT | OPT | OPT | OPT |
| Patio Light | | • | • | • | • |
| INTERIOR | 9.0 TD | 9.0 TD | 9.0 TD | 12.0 TD XL | 12.0 MAX |
| LED Interior Courtesy Lights (Floor) | | • | • | • | • |
| 100% Adhesion Residential Grade Linoleum | • | • | • | • | • |
| Dark Ash Cabinetry | • | • | • | • | • |
| Residential Laminated Countertops | • | • | • | • | • |
| Ultra Comfort 4" High Density Cushions | | | | • | • |
| Deep Bowl Acrylic Sink | | | • | • | • |
| 2-Burner High Output Range | | | | • | • |
| 12V On Demand Water Pump | | | | • | • |
| DSI 6-Gallon Water Heater | | | | • | • |
| 20,000 BTU Furnace | | • | • | • | • |
| 12V LED Interior Lights | • | • | • | • | • |
| Bluetooth Stereo | | • | • | • | • |
| 3-Way 1.9 Cu. Ft. Refrigerator | | | | • | • |
| 120 Watt/12V Refrigerator/Freezer Cooler | | • | • | | |
| Thetford Porta Potti | OPT | OPT | • | • | • |
| 13,500 BTU Air Conditioner | OPT | OPT | OPT | OPT | OPT |



OFF-ROAD PACKAGE OPTION (9.0TD V Pkg. • 12.0 TD XL • 12.0 TD MAX)
15" OFF-ROAD TIRES & SPARE, EXTENDED FRAME JACKS, OFF-ROAD LIFTED AXLE



Express 12.0TD MAX

CLIPPER

CAMPING TRAILERS

Camping Made Easy

EASY TO TOW • SET UP IN 10 MINUTES!

Value-added, Clipper Ultra Light Camping Trailers are easy to tow and maneuver at 1,500 - 2,500 lbs. These technologically advanced camping trailers are an easy way to experience the RV lifestyle. With exclusive cable supported structured platform bed systems, and the J-track metal door hook system, they're designed to make set up a breeze. It's easy to keep things fresh with Velcro attached valances, removable curtains and cushions.



108ST




806XLS


CLIPPER LS




CLIPPER LS



806XLS OPPOSING GAUCHOS



107LS DOUBLE QUEEN BUNKS




128LS NEW STORAGE SHROUD & LID


CLIPPER SPORT




CLIPPER SPORT



860QS HEATED QUEEN BED



108ST OPTIONAL CASSETTE POTTI



125ST OPTIONAL BATH PACKAGE



OPTIONAL BATH PACKAGE
125ST, 128LS


| | LS MODEL | | | SPORT | | | CLASSIC |
|-----------------------|-----------|-----------|-------------|------------|-------------|-------------|-------------|
| | 806XLS | 107LS | 128LS | 860QS | 108ST | 125ST | 1285SST |
| Interior Box Size | 8' 6" | 10' | 12' | 8' 6" | 10' | 12' | 12' |
| Travel Length | 12' 11" | 13' 2" | 17' 9" | 12' 2" | 16' 10" | 17' 9" | 19' |
| Travel Width | 7' | 7' 1" | 7' 1" | 7' 1" | 7' 1" | 7' 1" | 7' 1" |
| Travel Height | 56" | 58" | 58" | 56" | 58" | 58" | 55" |
| Exterior Open Length | 17' 11" | 20' 5" | 23' 5" | 13' 6" | 20' 9" | 23' 5" | 23' 5" |
| Interior Open Height | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" |
| Sleeping Capacity | 6 | 7 | 8 | 4 | 7 | 8 | 6 |
| Front Sleeping Area | 54" x 80" | 58" x 80" | 70" x 80" | 58" x 80" | 58" x 80" | 70" x 80" | 70" x 80" |
| Rear Sleeping Area | 48" x 80" | 54" x 80" | 58" x 80" | N/A | 58" x 80" | 58" x 80" | 58" x 80" |
| Dinette Area | N/A | N/A | N/A | N/A | 38" x 70" | 38" x 70" | 41" x 74" |
| "U" Dinette | N/A | N/A | 80" x 70" | 38" x 102" | N/A | N/A | N/A |
| Lounge Area | (2) 60" | (2) 70" | (2) 70" | N/A | 24" x 70" | N/A | 24" x 70" |
| Sofa Bed | N/A | N/A | N/A | N/A | 34" x 76" | 40" x 72" | N/A |
| Radial Tire Size | ST145R12 | ST145R12 | ST185/80R13 | ST145R12 | ST185/80R13 | ST185/80R13 | ST185/80R13 |
| Tire Load Range | E | E | D | E | D | D | D |
| Hitch Weight (lbs.) | 167 | 208 | 223 | 203 | 187 | 241 | 296 |
| Axle Weight (lbs.) | 1338 | 1576 | 1962 | 1355 | 1667 | 2083 | 2403 |
| UVW (lbs.) | 1642 | 1801 | 2204 | 1577 | 1863 | 2396 | 2840 |
| Cargo Capacity (lbs.) | 1255 | 1137 | 1019 | 1365 | 824 | 845 | 456 |
| GVWR (lbs.) | 2897 | 2938 | 3223 | 2942 | 2687 | 3241 | 3296 |
| Coupler Size | 2" | 2" | 2" | 2" | 2" | 2" | 2" |

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.



CLIPPER CLASSIC

CLIPPER CLASSIC



1285SST

SPACIOUS SLIDE OUT WITH STANDARD BATH PACKAGE



Classic 1285SST - This spacious floor plan includes a slide out dinette.

| EXTERIOR | LS | SPORT | CLASSIC |
|--|--------|-------|---------|
| E-Coated Tubular Steel Frame | • | • | • |
| Dual Drive Winch | • | • | • |
| Heavy Duty Tongue Jack - w/Wheel | • | • | • |
| Wide Trac Ultra Lube Spring Axle | • | • | • |
| Electric Brakes | • | • | • |
| Radial Tires | • | • | • |
| Spare Tire & Carrier | • | • | • |
| (4) Heavy Duty Scissor Style Jacks | • | • | • |
| Goshen Lift System | • | • | • |
| 4-Layer Laminated Seamless Roof | • | • | • |
| Laminated Insulated Bed Platforms | • | • | • |
| Automotive Grade Metal | • | • | • |
| LED Exterior Lights | • | • | • |
| Diamond Plate Front & Rear Walls | • | • | • |
| E-Z Swing Stepper Door (N/A 860QS) | • | • | • |
| One-Piece Screen Door | • | • | • |
| Prebraced for A/C | • | • | • |
| Exterior Wall Mount w/LP Quick Connect | • | • | • |
| VRX Sectionalized Tent | • | • | • |
| Non-Heated 4" Mats | • | • | • |
| 16 Gallon Fresh Water Tank | 806XLS | 860QS | • |
| 23 Gallon Fresh Water Tank | • | • | • |
| 35 Amp Converter - Trickle Charger | • | • | • |
| (2) Blue LED Patio Lights | • | • | • |
| Super Sliding Storage | • | • | • |
| New Style Storage Lid & Shroud | • | • | • |
| Create-A-Breeze Power Roof Vent | • | • | • |
| Awning | • | • | • |
| INTERIOR | LS | SPORT | CLASSIC |
| LED Interior Courtesy Lights (Floor) | • | • | • |
| 100% Adhesion Residential Grade Linoleum | • | • | • |
| Dark Ash Cabinetry | • | • | • |
| Residential Laminated Countertops | • | • | • |
| Ultra Comfort 4" Heated Mattress | • | • | • |
| Ultra Comfort 4" High Density Cushions | • | • | • |

• = STANDARD FEATURES

| INTERIOR | LS | SPORT | CLASSIC |
|--|----|-------|---------|
| Glide-N-Lock Cable Supported Beds | • | • | • |
| Privacy Drapes | • | • | • |
| E-Z Swing Galley w/Drawer | • | • | • |
| Deep Bowl Acrylic Sink | • | • | • |
| 2-Burner High Output Range | • | • | • |
| Bathroom Package (Opt. 125ST, 128LS) | • | • | • |
| 12V On-Demand Water Pump | • | • | • |
| Modular Cassette Potti (Opt. 108ST, 125ST) | • | • | • |
| DSI 6-Gallon Water Heater w/Outside Shower (108ST, 125ST) Outside Spray-away w/Quick Connect (1285SST) | • | • | • |
| 20,000 BTU Furnace | • | • | • |
| 120 Watt/12V Refrigerator/Freezer Cooler | • | • | • |
| 3-Way Dometic Refrigerator 1.9 Cu. Ft. | • | • | • |
| 12V LED Interior Lights | • | • | • |
| LED Bunk Fan Lights | • | • | • |
| Bunk Storage Nets | • | • | • |
| Bluetooth Stereo (Std. 1285SST) | • | • | • |
| 120V GFI Recept | • | • | • |
| ESSENTIALS PACKAGE | LS | SPORT | CLASSIC |
| 20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier, 3-Way 1.9 Cu. Ft. Refrigerator (120 Watt/12V Refrigerator/Freezer Cooler - LS only) | • | • | • |

POPULAR OPTIONS

| |
|--|
| 3-Way 1.9 Cu. Ft. Refrigerator (LS only) |
| 13,500 BTU Air Conditioner |
| 40 Watt Zamp Portable Solar Panel |
| 80 Watt Zamp Portable Solar Panel |
| "Jack It" Bike Rack |
| "Toylok" Cargo Security System |
| Stor-N-More Under Bunk Storage System |
| Thetford Porta Potti |
| Screen Room w/Privacy Flaps |
| Flex Rod Tech Add-A-Room Upgrade |
| 806XLS 860QS |



OFF-ROAD PACKAGE OPTION (107 LS • 128 LS)
 15" OFF-ROAD TIRES & SPARE, LENGTH STABILIZING EXTENDED JACKS, OFF-ROAD LIFTED AXLE, GRAB HANDLE, DOUBLE STEP



Clipper's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (1285SST)



The E-Z one hand swing level galley (1285SST)



Bath Package - Modular Cassette Potti/Shower Combo

CLIPPER **V-TREC** OFF-ROAD CAMPING TRAILERS

V1




- 5" Tube Frame
- Reinforced Diamond Plate Front Deck
- 4000 Lb. Heavy Duty Torsion Axle for Heavy Cargo Capacity

Heavy Duty Construction Sets V-Trec Apart


V2



V3




V1 SOLID DIAMOND PLATE 2' DECK - D-RING TIE-DOWNS



V2 SOLID DIAMOND PLATE 2' DECK - D-RING TIE-DOWNS



OPT. BATHROOM PACKAGE



V3 SOLID DIAMOND PLATE 5' DECK - DETACHABLE RAMP

LET THE GOOD TIMES ROLL!

| V-TREC | V1 | V2 | V3 |
|-----------------------|-------------|-------------|-------------|
| Interior Box Size | 10' | 12' | 12' |
| Travel Length | 17' 2" | 18' 3" | 21' 8" |
| Travel Width | 7' 1" | 7' 1" | 7' 1" |
| Travel Height | 65" | 65" | 65" |
| Exterior Open Length | 20' 5" | 22' 5" | 23' 5" |
| Interior Open Height | 6' 10" | 6' 10" | 6' 10" |
| Sleeping Capacity | 6 | 6 | 6 |
| Front Sleeping Area | 58" x 80" | 70" x 80" | 70" x 80" |
| Rear Sleeping Area | 58" x 80" | 58" x 80" | 58" x 80" |
| Dinette Area | 38" x 70" | 36" x 70" | 41" x 74" |
| Lounge Area | 24" x 70" | 24" x 70" | 24" x 70" |
| Radial Tire Size | ST235/75R15 | ST235/75R15 | ST235/75R15 |
| Tire Load Range | C | C | C |
| Hitch Weight (lbs.) | 274 | 290 | 427 |
| Axle Weight (lbs.) | 2120 | 2291 | 2790 |
| UVW (lbs.) | 2394 | 2581 | 3217 |
| Cargo Capacity (lbs.) | 1380 | 1209 | 1210 |
| GVWR (lbs.) | 3774 | 3790 | 4427 |
| Coupler Size | 2-5/16" | 2-5/16" | 2-5/16" |

*Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds. See back page for chart definitions.

| EXTERIOR | V-TREC | V-TREC | V-TREC |
|--|--------|---|--------|
| E-Coated Tubular Steel Frame | • | 35 Amp Converter - Trickle Charger | • |
| Dual Drive Winch | • | 120 Volt GFI Recept | • |
| Heavy Duty Tongue Jack - w/Wheel | • | Patio Light | • |
| Wide Trac Ultra Lube Torsion Axle | • | Create-A-Breeze Power Roof Vent | • |
| Electric Brakes | • | Awning | • |
| 15" Radial Tires | • | INTERIOR | |
| Spare Tire & Carrier | • | LED Interior Courtesy Lights (Floor) | • |
| (4) Heavy Duty Scissor Style Jacks | • | 100% Adhesion Residential Grade Linoleum | • |
| Goshen Lift System | • | Dark Ash Cabinetry | • |
| 4 Layer Laminated Seamless Roof | • | Residential Laminated Countertops | • |
| Laminated Insulated Bed Platforms | • | Glide-N-Lock Cable Supported Beds | • |
| Automotive Grade Metal | • | Ultra Comfort 4" Heated Mattress | • |
| LED Exterior Lights | • | Ultra Comfort 4" High Density Cushions | • |
| Diamond Plate Front & Rear Walls | • | Vented Privacy Drapes | • |
| One-Piece Screen Door | • | E-Z Swing Galley w/Drawer | • |
| Prebraced For A/C | • | Deep Bowl Acrylic Sink | • |
| Outside Spray-Away (Cold only) | • | 2-Burner High Output Range | • |
| Exterior Wall Mount LP w/Quick Connect | • | 12 Volt On-Demand Water Pump | • |
| VRX Sectionalized Tent | • | Bathroom Package (Std. V3, Opt. V2) | • |
| 23 Gallon Fresh Water Tank | • | DSI 6-Gallon Water Heater | • |
| | | 3-Way 1.9 Cu. Ft. Refrigerator | • |
| | | 20,000 BTU Furnace | • |
| | | 12 Volt LED Interior Lights | • |
| | | LED Bunk Fan Lights | • |
| | | Bluetooth Stereo | • |
| | | ESSENTIALS PACKAGE | • |
| | | 3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier | |
| | | POPULAR OPTIONS | |
| | | 13,500 BTU Air Conditioner | |
| | | 40 Watt Zamp Portable Solar Panel | |
| | | 80 Watt Zamp Portable Solar Panel | |
| | | Theford Modular Cassette Potti w/Electric Flush (Opt. V1, V2) | |
| | | Theford Porta Potti | |
| | | Bathroom Package (V2 only) | |
| | | SST - Super Sliding Storage Trunk (V1, V2) | |
| | | "Jack It" Bike Rack | |
| | | "Toylok" Cargo Security System | |
| | | Stor-N-More Under Bunk Storage System | |
| | | Exterior Grill w/Quick Connect Hose | |

• = STANDARD FEATURES





Easy-to-use dual drive winch and drill socket, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and the provided drill socket.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.



Pass-through storage and outside shower (9.0 TD, 12.0TD XL)



Convenient bottle opener



Bed step



Charging station



Optional exterior grill with Quick Connect hose

4" E-Z Sleep Mattress



Clipper

1-1/4" Laminated Insulated Bunkends

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



Black tire rim




Lounge/gaucha bed



Reversible gaucha cushion



LED floor light



Exterior leash clip



LED bunk end fan lights




Clipper's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.




The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Clipper's one-piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.



X-Cable technology adds additional stability to the roof and prevents over cranking.




The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



Power roof vent moves air like no other. (N/A LS models)



AM/FM/Bluetooth stereo with App control includes interior/exterior speakers. (Standard on Classic and V-Tec models)



Competitors



Clipper's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.

CLIPPER

EXCLUSIVE FEATURES



ULTRA LIGHT CAMPING TRAILERS

Four Layer Insulated Roof
Braced for Air Conditioning.

1. One Piece Seamless Fiberglass Skin
2. Luan Plywood Underlayment
3. Foam Insulated Roof Structure
4. Vinyl Coated Ceiling

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

Easy to clean and minimizes interior condensation

Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT
MOBILE MECHANIC
TECHNICAL
SUPPORT
DEALER LOCATOR
SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE

CLIPPER CAMPING TRAILERS LIMITED WARRANTY

Please refer to www.coachmenrv.com for complete warranty information

- Lift System – Lifetime
- Dexter® E-Z Lube® Axle – 5 Years
- Dexter® Torflex® Axle – 10 Years
- VRX Vinyl Tent – 5 Years
- Roll-out System – 5 Years
- Roof Assembly – 5 Years



Dexter® E-Z Lube® Axles

Camping Made Easy

CLIPPER RV

580 West Burr Oak Street • P.O. Box 549 • Centreville, MI 49032 • 269-467-6321

To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenrv.com or call 1.800.353.7383.

YOUR CLIPPER CAMPING TRAILER DEALER



Check Out Our
Easy Set Up
Video Here

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc. reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Clipper RV, by Coachmen RV, a Division of Forest River, Inc., A Berkshire Hathaway company. All Rights Reserved. 2/21



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



www.ForestRiverBuyLocal.com

COACHMEN INTERACTIVE MOBILE MANUALS

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Coachmen product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.

