







LIGHT & FUN Travel is easy with Apex style and comfort. These narrow-body trailers are ideal for towing with half ton trucks and most smaller SUVs, with weights ranging from 3,000 lbs. up to 4,500 lbs. All Nano floor plans are designed with rich, warm interiors, full-sized bathrooms, contemporary cabinetry, fabrics and flooring. The 186 BH, 203 RBK, and 208 BHS come standard with a 60" x 80" queen bed, or you can add an optional Murphy Bed with Jack Knife sofa, shown at right. \ APEX 208 BHS The lower double bunk in 208 BHS flips up to access a

large storage area.



HIT THE ROAD TO ADVENTURE WITH APEX'S LIGHT-WEIGHT TOWABLE RVS













185 BH

186 BH

187 **RB**







191 RBS

194 BHS

203 RBK







208 BHS

213 RDS

221 RLS



APEX NANO	185 BH	186 BH	187 RB	191 RBS	194 BHS	203 RBK	208 BHS	213 RDS	221 RLS
Hitch Weight	384	432	390	426	454	470	504	494	503
Carrying Capacity	1,234	1,074	1,342	1,114	910	2,084	1,712	1,806	1,806
UVW	3,202	3,597	3,246	3,552	3,784	3,916	4,198	4,115	4,194
GVWR	4,700	4,700	4,700	4,700	4,800	6,000	6,000	6,000	6,000
Ext. Length (Incl. Bumper to Hitch)	20'7"	22' 11.5"	21′ 5″	21' 11"	22' 8"	23' 5"	24' 11"	25' 2"	25' 2"
Ext. Height (Incl. A/C)	9'10"	9' 9"	9' 10"	9'10"	9' 10"	9'11"	9' 11"	9' 11"	9' 11"
Int. Height (Coach)	77"	77"	77"	77"	77"	77"	77"	77"	77"
Awning Length	12'	15'	12'	12'	14'	15'	14'	15'	15'
Fresh Water Capacity (gal.)	52	52	52	52	52	52	52	52	52
Grey Water Capacity [gal.]	27	27	27	27	27	35	35	35	35
Waste Water Capacity (gal.)	27	27	27	27	27	35	35	35	35

Refer to chart descriptions on back cover.








OUR MODERN INTERIORS ARE BEAUTIFULLY PAIRED WITH AN INNOVATIVE USE OF SPACE TO MAKE CAMPING COMFORTABLE AND EASY.


















243 FKS



251 RBK



256 BHS



264 RKS




265 RBSS



266 BHS





300 BHS



Apex 8' WIDES	215 RBK	245 BHS	211 RBS	243 FKS	251 RBK	256 BHS	264 RKS	265 RBSS	266 BHS	284 BHSS	293 RLDS	300 BHS
Hitch Weight	446	578	587	810	570	694	718	734	934	722	832	672
Carrying Capacity	2,135	1,914	1,938	1,654	2,016	2,128	1,618	1,948	1,520	1,578	1,360	1,625
UVW	4,365	4,586	4891	5,906	4,984	5,472	5,982	5,652	6,080	6,017	6,440	5,975
GVWR	6,500	6,500	7,000	7,600	7,000	7,600	7,600	7,600	7,600	7,600	7,800	7,600
Ext. Length (Incl. Bumper to Hitch)	25' 6"	27' 7"	26' 2"	29' 5"	29'	30'1"	31' 10"	30' 5"	32'11"	32'7"	34'	34′ 5″
Ext. Height (Incl. A/C)	10' 2"	10' 2"	10'5"	10'7"	10'1"	10′5″	10' 4"	10'6"	10′ 5″	10′7″	10′7″	10′ 1″
Int. Height (Coach)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Awning Length	13'	18'	15'	20'	16'	16'	18'	18'	20'	18'	18'	18'
Fresh Water Capacity (gal.)	52	52	50	50	50	50	50	50	50	50	50	50
Grey Water Capacity (gal.)	35	35	35	70	35	70	70	70	35	70	70	35
Waste Water Capacity (gal.)	35	35	35	35	35	35	35	35	35	35	35	35

APEX STANDARDS AND OPTIONS

VALUE PACKAGE (MANDATORY)	UL	NAN
 Vacuum-bonded Laminated Azdel Fiberglass Side Walls 	Х	X
√ Vacuum-bonded Laminated Azdel Fiberglass Rear Wall	Х	Х
 Vacuum-bonded Laminated Crowned Roof 	Х	X
↓ Laminated Aluminum Framed Floor	Χ	X
Fiberglass Front Cap w/LED Lighting and Window	Χ	X
Aluma-cage Construction	Χ	Х
 Two-Tone White and Grey Fiberglass Exterior Sidewalls 	Χ	Х
Front Stone Guard	Χ	Х
 Enclosed Underbelly w/Forced Air Heat 	Χ	SM
< Aluminum Wheels	Χ	Х
Spare Tire	Χ	Х
 Slide Topper Prep 	Χ	
Back-up Camera Mount	Χ	Х
Power Tongue Jack	Χ	
 Stabilizer Jacks (4) 	Χ	Χ
■ LP Port	Χ	Х
200 Watt Solar Panel w/ 30 AMP Control Charger	Χ	X
■ 13.5 BTU A/C (Ducted on 8' wide)	Χ	X
Ducted/Direct Vent Furnace (Floor Plan Specific)	Χ	X
DSI Gas/Electric Water Heater	Χ	X
→ Hot/Cold Outside Shower	Χ	X
■ Black Tank Flush Kit	Χ	X
Power Awning w/Lighting	Χ	X
Swing Away Assist Handle	Χ	X
 Friction Hinge Entrance Door 	Χ	X
Solid Step	Χ	X
 Slam Latch Baggage Door Catches 	Χ	
LED Motion Sensor Light in Exterior Storage Area	Χ	
Hard Valances w/Night Shades Throughout	Χ	X
↓ LED Interior Lighting Throughout	Χ	X
< Microwave	Χ	X
Lighted, Flush-mount, 3-Burner High Output Range w/Oven	Χ	
∢ 8 Cu. Ft. 12V Refrigerator	Χ	Х
 Stainless Steel Single Bowl Sink w/Flush-mount Cover 	Χ	X
 Access Doors Under Dinette 	SM	SM
Interior Convenience Center	Χ	X
 Digital TV Antenna w/Cable Hook-ups and WiFi Capability 	Χ	X
USB Charging Station	Χ	X
LED TV	Χ	
Hide-A-Bed Sofa (Deep slides only)	Χ	
▼ Tub Surround	Χ	X
 Skylight in Bath 	Χ	X
Mattress with Cover	Χ	X

	UL	NANO
INTERIOR AND DÉCOR		
	X	X
Stile and Rail Cabinet Front Construction	X	X
 Stile and Rail Cabillet Front Construction One-Piece Seamless Edge Countertops 	X	X
Residential Style Flooring	X	X
 Residential Style Flooring Overhead Bedroom Cabinets w/Side Wardrobes 	X	X
Hard Valances w/Night Shades Throughout	X	X
Pedestal Dinette Table (Fold Up Table on 211RBS)	X	X
■ Large Oversized Booth or U-shaped Dinette w/Sliding		^
Door Storage Access	Χ	
Residential Sofa	Χ	SM
LP Leak Alarm	Χ	X
Fire Extinguisher	Х	X
Smoke Alarm	Χ	X
 Carbon Monoxide Detector 	Χ	X
ELECTRICAL / HEATING/AC		
	Х	V
4 13.5 BTU A/C [Ducted on 8' wide]	X	X
 55 Amp Power Center with Auto-detect, Lithium-compatible 	X	X
Outside Receptacle GFI	X	X
 200 Watt Solar Panel w/ 30 AMP Control Charger 	X	X
Wireless Bluetooth Speaker Wireless Bluetooth Speaker	X	X
Detachable Marine Style Power Cord	X	X
 ✓ USB Chargers 	X	X
555 511a.igo. 5		
GALLEY		
₄ 8 Cu. Ft. 12V Refrigerator	Χ	X
Residential Style Oven	Χ	
Flush-mount 2-Burner Stovetop		X
Flush-mount 3-Burner Stovetop	Χ	
Power LED Lighted Range Hood	Χ	
Microwave	Χ	X
Stainless Steel Single Bowl Sink w/Flush-mount Cover	Χ	X
One-Piece Seamless Edge Countertops	Χ	X
	X	X
BATH AND WATER		
· 6 Gal. Gas/Electric DSI Hot Water Heater	Χ	X
Power Bath Vent	Χ	Х
Water Heater Bypass Valve	Χ	Χ
 On-Demand Water Pump 	Χ	Х
Below Floor Low Point Drains	Χ	X

	UL	ITAITU
Foot Flush Toilet	Χ	X
▼ Tub Surround	Χ	X
	SM	SM
Hand-crafted Wood Medicine Cabinet	Χ	Χ
EXTERIOR/CONSTRUCTION		
Aluma-Cage Construction	Χ	X
√Vacuum-bonded, Aluminum Trussed Roof w/Dicor		
Crossflex Roof Membrane (R-11 - 7½' wide, R-14 - 8' wide)	Χ	Χ
Vacuum-bonded Laminated Azdel Fiberglass Sidewalls (R-11) X	Χ
■ Vacuum-bonded Azdel Fiberglass Rear Wall	Х	Х
Laminated Aluminum Framed Floor (R-11)	Х	Х
Corrosion Resistant Powder Coated Frame	Х	Х
I-beam Chassis Construction	Х	Х
Heated and Enclosed Underbelly w/Forced Air	Х	SM
Gutter Rail	Х	X
Dual 20 Lb. LP Tanks w/Cover	Х	Х
Dual Battery Tray	Х	Χ
Solid Step	Х	Х
Tinted Safety Glass Radius Windows	Х	Х
Radius Entrance Door w/Window and Friction Hinge	Х	Х
Dead Bolt Lock	Х	Χ
Radius Slam Latch Baggage Doors	Х	
Break Away Switch	Х	Х
SuperLube Axles	Χ	Х
Radial Tires	Χ	Х
Frame Receiver Prep	SM	SM
Battery Disconnect Switch	Χ	Х
OPTIONS		
Frameless Dark Tint Windows	Χ	
Stargazer		X
■ 15K BTU A/C Upgrade	Χ	X
50 Amp Service w/Second (Forced) 13.5K BTU A/C	Χ	
12v Heat Pads		X
Theater Seating	SM	
Goodyear® All-Terrain Tires		X
■ Murphy Bed		SM
SM = SELECT MODELS		

UL | NANO

APEX CONSTRUCTION

Apex features the combination of environmentally friendly Azdel wall boards inside, and out. Using Alumicage Construction maximizes strength while minimizing weight. These Ultralite Travel Trailers are designed for towing by today's half-ton trucks, and SUVs. From 18' to 34'. All units are

available under 6.800 lbs.



Construction Features

1. 3M Breathable graphics

rear wall, laminated floor

Aluminum reinforced

vacuum-bonded roof

fiberalass front cap and integrated window 8. [2] 20 lb. LP tanks

(Double axle models)

floor structure

14. Slide system

17. SuperLube axles

18. Radial tires

13. Fully welded tubular aluminum

15. Residential Style linoleum flooring

16. Powder E-coated, welded I-beam frame with full-depth crossmembers



Fiberalass Front Cap

- · ¾ Front fiberglass cap for superior strength
- · Automotive glass front window with superior UV protection
- · Front stone guard
- · Integrated LED accent lights
- · Vacuum Bonded Sidewalls and Roof
- · Stronger construction
- · Lighter weight





Apex is proud to be one of three products to receive the Emerald Level Certification, the highest rated level possible.

As a Certified Green RV. APEX utilizes effective production techniques in combination with healthy materials, plus efficient usage of energy and water to produce a high quality RV with less environmental impact.

Check us out at: coachmenry.com/travel-trailers/apex







Lower Center of Gravity for Better Towability

LIGHTWEIGHT **DURABILITY**




Welded Aluminum Framing

Durable, lightweight aluminum cage - individually framed cut-outs to make for stronger sidewalls and reduce water leaks.



Aluminum Reinforced Vacuum-bonded Roof

The aluminum framed, laminated roof is lighter than the competition, rigid and fully walkable.



Six Layer Laminated Floor

- Residential durable insulated floor covering
- Double layer Lauan plywood top decking
- Welded aluminum frame
- Block foam structural insulation
- Lauan plywood bottom decking
- Darco waterproof floor wrap
- Cross member support
- Holding tanks
- Heated and enclosed underbelly (Double axle models)

EXPERIENCE YOUR OWN **ULTRALITE ADVENTURE**

Versatile Apex Travel Trailers provide a perfect home base, wherever the road leads.



THE ENTIRE APEX LINEUP IS PERFECT FOR SMALLER TOW VEHICLES.





423 N. Main Street · P.O. Box 30 · Middlebury, IN 46540 To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit https://coachmenrv.com/travel-trailers/apex-ultra-lite.



YOUR APEX DEALER

Coachmen Interactive Mobile Manuals

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Coachmen product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.







24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL SUPPORT** DEALER LOCATOR SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE





www.Forest River Buy Local.com



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely support-

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment.

ed by a combination of all axles.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity. **Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Apex by Coachmen RV, a Division of Forest River, Inc., a Berkshire Hathaway company. All rights reserved. 12/23 CHM 2258