

243 RBS **LEGACY EDITION**



283 RKS

DRY WEIGHT: 6,635

EXT. LENGTH: 33'8"

DRY WEIGHT: 6,532 THE THE STATE OF T EXT. LENGTH: **32'9"**

263 BHSCK



DRY WEIGHT: **6,869** EXT. LENGTH: 30' 0"

263 FKDS

NEW 283 EPIC



293 QBCK



293 TOBSCK



303 RKDS



323 BHDSCK



313 RLTS



NEW 323 MAZE







343 BHTS (20) OR (DEN)

NEW 18 TH

28 THS

DRY WEIGHT: **7,226**



EXPEDITION



26 TH

192 BHS

DRY WEIGHT: 5,486 EXT. LENGTH: 29'10"



TRAILBLAZER



29 THS



27 THS

DRY WEIGHT: **12,715**





NEW 35 FME



DRY WEIGHT: TBD EXT. LENGTH: TBD



DRY WEIGHT: 8,324 EXT. LENGTH: 32 '1"

EXT. LENGTH: 45' 5"

DESTINATION









SUMMIT 7



NEW 134 BHX

DRY WEIGHT: 2,723 EXT. LENGTH: 16' O"

154 RBX



NEW 184 BHSX



40 BHTS



NEW 134 RDX



154 RDX



184 BHS



40 BHTS(2Q) OR (DEN)




NEW 134 RKX



164 BHX





















LEGACY EDITION SUMMIT SERIES






EXPEDITION

DESTINATION SERIES



TRAIL BLAZER




COACHMEN CATALINA

EXPERIENCE THE DIFFERENCE







REDEFINING THE POSSIBILITIES

AUTOMATIC LEVELING SYSTEM OR POWER STAB JACK PKG OPTIONAL UPGRADES

ASK ABOUT LIMITED PROMOTIONS











GE KITCHEN APPLIANCE SUITE

ALSO INCLUDES: GE A/C WITH HEAT PUMP GE WATER HEATER

GE REFRIGERATOR NOT AVAILABLE ON 134 MODELS AND 154 RDX







GE LOW PROFILE HIGH-EFFECIENCY RV AC





HEAT PUMP WITH OPERATION AS LOW AS 25°F



ASK YOUR LOCAL DEALER OR SEE OUR WEBSITE FOR OUR IN DEPTH STANDARD AND OPTIONAL FEATURE DETAILS

CHECK OUR NXG FRAMES BY NORCO AND THE PREMIUM JBL AUDIO SYSTEM.

NOTES



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.













www.coachmenrv.com/catalina

Specification Definitions:: 6VWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all veights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the 6VWR. // GAWR (Gross Saxle Weight Rating) - is the maximum permissible weight of the unit as manufactured at the factory. It includes all weight of the unit as manufactured at the factory. It includes all weight at the unit's earle(s) and tongue or pin and IP Gas. The UVW does not include cargo, fresh potable water, cargo, additional optional equipment and accessories. "Estimated wereage based on standard build optional equipment and accessories. (I'c sequal to 6VWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity." Estimated wereage based on standard build optional equipment // Each Forest River RV is weight at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV is weighted to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not on the very forest River local manufacturing facility prior to leaving our facilities. The load capacity of your unit is designated by weight to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S. A FOR 7009 PRW: 2004-12.13